

B1  
1. (Amended) In a messaging system used for exchanging information, the system utilizing standard Internet protocol, a method for extending the protocol to allow for the ability to customize messaging operations performed on an electronic message without deviating from the protocol specification, the method comprising the steps of:

storing a standard command, wherein the standard command is based on a standard Internet protocol;

storing a user-created command, wherein the user-defined command is based on extensions of the standard Internet protocol, and wherein the standard command and the user-created command are used for manipulating the message;

assigning a user-defined priority to the user-created command relative to an assigned priority of the standard command; and

executing at least one of the standard command and the user-created command in order of priority.

B2  
12. (Amended) A computer program product for implementing a method for extending standard Internet protocol to allow for the ability to customize messaging operations performed on an electronic message without deviating from the protocol specification, the computer program product comprising:

a computer-readable medium having computer-executable instructions for executing the acts of:

storing a standard command, wherein the standard command is based on a standard Internet protocol;

storing a user-created command, wherein the user-defined command is based on extensions of the standard Internet protocol, and wherein the standard command and the user-created command are used for manipulating the message;

assigning a user-defined priority to the user-created command relative to an assigned priority of the standard command; and

executing at least one of the standard command and the user-created command in order of priority.

Please add new claims 33-42 as follows:

B3  
Sub  
C1

33. (New) A method as recited in claim 1, further including an act of identifying the at least one of the standard command and the user-created command that is to be executed based upon a determination of whether the user-created command is registered in an event-binding database.

34. (New) A method as recited in claim 33, further including an act of registering the user-created command into an event-binding database, and prior to executing the user-created command an act of determining that the user-created command is registered in the event-binding database.

35. (New) A method as recited in claim 1, wherein the standard priority of the standard command is a neutral priority.

36. (New) A method as recited in claim 35, wherein the assigned priority of the user-created command is a priority other than a neutral priority.

37. (New) A method as recited in claim 36, further including an act of sorting at least the user created command and the standard command in a database based upon their priority prior to executing the at least one of the standard command and the user-created command.

38. (New) A computer program product as recited in claim 12, wherein the method further includes an act of identifying the at least one of the standard command and the user-created command that is to be executed based upon a determination of whether the user-created command is registered in an event-binding database.

39. (New) A computer program product as recited in claim 38, wherein the method further includes an act of registering the user-created command into an event-binding database, and prior to executing the user-created command an act of determining that the user-created command is registered in the event-binding database.

40. (New) A computer program product as recited in claim 12, wherein the standard priority of the standard command is a neutral priority.

41. (New) A computer program product as recited in claim 40, wherein the assigned priority of the user-created command is a priority other than a neutral priority.

42. (New) A computer program product as recited in claim 41, wherein the method further includes an act of sorting at least the user created command and the standard command in a database based upon their priority prior to executing the at least one of the standard command and the user-created command.